ELSEVIER

Journal of Controlled Release 40 (1996) 333–335

journal of controlled release

Author Index Volume 40 (1996)

Airinei, A., see Mocanu, G. (40) 1
Allcock, H.R., see Ibim, S.M. (40) 31
Allwood, M.C., see Cummings, J.H. (40) 123
Ambrosio, A.A., see Ibim, S.M. (40) 31
Baker, M.A., Gray, B.D., Ohlsson-Wilhelm, B.M., Carpenter, D.C. and Muirhead, K.A.
Zyn-Linked colchicines: Controlled-release lipophilic prodrugs with enhanced antitumor efficacy (40) 89
Beer, D., see Veronese, F.M. (40) 199
Boddé, H.E., see Hoogstraate, A.J. (40) 211
Borland, S.W., see Wu, B.M. (40) 77
Botham, R.L., see Cummings, J.H. (40) 123
Boudreaux, C.J., Bunyard, W.C. and McCormick, C.L.
Controlled activity polymers. IX copolymers of acrylic acid and isomeric *N*-alkylacrylamide monomers with pendent β-naphthol ester moieties: Hydrolytic release studies (40) 235
Boudreaux, C.J., Bunyard, W.C. and McCormick, C.L.
Controlled activity polymers. VIII. Copolymers of acrylic acid and isomeric *N*-akylacrylamide with pendent β-naphthol esters moieties: Synthesis and characterization (40) 223
Bowersock, T.L., see Woodyard, L.L. (40) 23
Brannon-Peppas, L.
Handbook of Pharmaceutical Excipients (40) 327
Brannon-Peppas, L., see Peppas, N.A. (40) 245
Brem, H., see Utsuki, T. (40) 251
Bunyard, W.C., see Boudreaux, C.J. (40) 223
Bunyard, W.C., see Boudreaux, C.J. (40) 235
Caliceti, P., see Veronese, F.M. (40) 199
Carpenter, D.C., see Baker, M.A. (40) 89
Carpov, A., see Mocanu, G. (40) 1
Castelli, F., Conti, B., Conte, U. and Puglisi, G.
Effect of molecular weight and storage times on tolmetin release from poly-D,L-lactide microspheres to lipid model membrane. A calorimetric study (40) 277
Challinor, C.L., see Tobyn, M.J. (40) 147
Chen, L.-L.H. and Chien,. Y.W.
Transdermal iontophoretic permeation of luteinizing hormone releasing hormone: Characterization of electric parameters (40) 187
Chien, Y.W., see Chen, L.-L.H. (40) 187
Chien, Y.W., see Kim, D.-D. (40) 67
Cima, L.G., see Wu, B.M. (40) 77
Cima, M.J., see Wu, B.M. (40) 77
Conte, U., see Castelli, F. (40) 277
Conti, B., see Castelli, F. (40) 277
Cotterill, J.V., Wilkins, R.M. and Da Silva, F.T.
Controlled release of diuron from granules based on a lignin matrix system (40) 133
Couvreur, P., see Olivier, J.-C. (40) 157
Coward, W.A., see Cummings, J.H. (40) 123
Cullander, C., see Hoogstraate, A.J. (40) 211
Cummings, J.H., Milojevic, S., Harding, M., Coward, W.A., Gibson, G.R., Botham, R.L., Ring, S.G., Wraight, E.P., Stockham, M.A., Allwood, M.C. and Newton, J.M.
In vivo studies of amylose- and ethylcellulose-coated [^{13}C]glucose microspheres as a model for drug delivery to the colon (40) 123
Da Silva, F.T., see Cotterill, J.V. (40) 133
DeFord, J., see Woodyard, L.L. (40) 23
Dyrud, M.J., see Pekarek, K.J. (40) 169
Ferrer, K., see Pekarek, K.J. (40) 169
Ferrier, D., see Olivier, J.-C. (40) 157
Gangadharam, P.R.J., see Hsu, Y.-Y. (40) 293
Garcia, A.M. and Ghaly, E.S.
Preliminary spherical agglomerates of water soluble drug using natural polymer and cross-linking technique (40) 179
Ghaly, E.S., see Garcia, A.M. (40) 179
Gibson, G.R., see Cummings, J.H. (40) 123
Giordano, R.A., see Wu, B.M. (40) 77
Girod-Holland, S., see Li, S. (40) 41
Granvina, S., see Shapiro, M. (40) 329
Gray, B.D., see Baker, M.A. (40) 89
Gresser, J.D., see Hsu, Y.-Y. (40) 293
Grosse-Sommer, A. and Prud'homme, R.K.
Degradable phosphazene-crosslinked hydrogels (40) 261
Gwilt, P.R.
Pharmacokinetics: Regulatory, Industrial, Academic, Perspectives Second Edition (40) 327
Harding, M., see Cummings, J.H. (40) 123
Heath, T.D., see Kim, J.-S. (40) 101
Hoogstraate, A.J., Senel, S., Cullander, C., Verhoef, J., Junginger, H.E. and Boddé, H.E.
Effects of bile salts on transport rates and routes of FITC-labelled compounds across porcine buccal epithelium in vitro (40) 211
Hsu, Y.-Y., Gresser, J.D., Trantolo, D.J., Lyons, C.M., Gangadharam, P.R.J. and Wise, D.L.
Low-density poly(DL-lactide-co-glycolide) foams for prolonged release of isoniazid (40) 293

Ibim, S.M., Ambrosio, A.A., Larrier, D., Allcock, H.R. and Laurencin, C.T.
Controlled macromolecule release from poly(phosphazene) matrices (40) 31
Igari, Y., see Kamijo, A. (40) 269
Ikada, Y., see Nakaoka, R. (40) 11
Imanishi, Y., see Kidchob, T. (40) 285
Jarema, M.A., see Shapiro, M. (40) 329
Jelínková, M., see Říhová, B. (40) 303
Jong, Y.S., see Pekarek, K.J. (40) 169
Junginger, H.E., see Hoogstraate, A.J. (40) 211
Kamei, S., see Kamijo, A. (40) 269
Kamijo, A., Kamei, S., Saikawa, A., Igari, Y. and Ogawa, Y.
In vitro release test system of (D,L-lactic-glycolic) acid copolymer microcapsules for sustained release of LHRH agonist (leuprorelin) (40) 269
Kidchob, T., Kimura, S. and Imanishi, Y.
Preparation, structure and release profile of polypeptide microcapsules (40) 285
Kim, D.-D. and Chien, Y.W.
Simultaneous skin permeation of dideoxynucleoside-type anti-HIV drugs (40) 67
Kim, J.-S. and Heath, T.D.
Improved in vitro growth inhibitory effect of *N*-(phosphonacetyl)-L-aspartic acid in immunoliposomes (40) 101
Kimura, S., see Kidchob, T. (40) 285
Kristmundsdottir, T., see Utsuki, T. (40) 251
Larrier, D., see Ibim, S.M. (40) 31
Laurencin, C.T., see Ibim, S.M. (40) 31
Li, S., Girod-Holland, S. and Vert, M.
Hydrolytic degradation of poly(DL-lactic acid) in the presence of caffeine base (40) 41
Loftsson, T., see Utsuki, T. (40) 251
Lyons, C.M., see Hsu, Y.-Y. (40) 293
Maher, J., see Tobyn, M.J. (40) 147
Maniar, M., see Park, E.-S. (40) 111
Maniar, M., see Park, E.-S. (40) 55
Mathiowitz, E., see Pekarek, K.J. (40) 169
McCabe, G.P., see Woodyard, L.L. (40) 23
McCormick, C.L., see Boudreaux, C.J. (40) 223
McCormick, C.L., see Boudreaux, C.J. (40) 235
Milojevic, S., see Cummings, J.H. (40) 123
Mocanu, G., Airinei, A. and Carpov, A.
Macromolecular drug conjugates. V. Theophylline-dextran (40) 1
Monfardini, C., see Veronese, F.M. (40) 199
Muirhead, K.A., see Baker, M.A. (40) 89
Nakaoka, R., Tabata, Y. and Ikada, Y.
Antibody production by administration of biodegradable granules incorporating antigen through different injection routes (40) 11
Newton, J.M., see Cummings, J.H. (40) 123
Ogawa, Y., see Kamijo, A. (40) 269
Ohlsson-Wilhelm, B.M., see Baker, M.A. (40) 89
Olivi, A., see Utsuki, T. (40) 251
Olivier, J.-C., Vauthier, C., Taverna, M., Puisieux, F., Ferrier, D. and Couvreur, P.
Stability of orosomucoid-coated polyisobutylcyanoacrylate nanoparticles in the presence of serum (40) 157
Park, E.-S., Maniar, M. and Shah, J.
Effects of model compounds with varying physicochemical properties on erosion of polyanhydride devices (40) 111
Park, E.-S., Maniar, M. and Shah, J.
Water uptake in to polyanhydride devices: kinetics of uptake and effects of model compounds incorporated, and device geometry on water uptake (40) 55
Pekarek, K.J., Dyrud, M.J., Ferrer, K., Jong, Y.S. and Mathiowitz, E.
In vitro and in vivo degradation of double-walled polymer microspheres (40) 169
Peppas, N.A. and Brannon-Peppas, L.
Controlled release of fragrances from polymers. I. Thermodynamic analysis (40) 245
Pitha, J., see Utsuki, T. (40) 251
Plocová, D., see Říhová, B. (40) 303
Prausnitz, M.R.
Do high-voltage pulses cause changes in skin structure? (40) 321
Prud'homme, R.K., see Grosse-Sommer, A. (40) 261
Puglisi, G., see Castelli, F. (40) 277
Puisieux, F., see Olivier, J.-C. (40) 157
Říhová, B., Strohalm, J., Plocová, D., Šubr, V., Šrogl, J., Jelínková, M., Šírová, M. and Ulbrich, K.
Cytotoxic and cytostatic effects of anti-Thy 1.2 targeted doxorubicin and cyclosporin A (40) 303
Ring, S.G., see Cummings, J.H. (40) 123
Sachs, E.M., see Wu, B.M. (40) 77
Saikawa, A., see Kamijo, A. (40) 269
Schiavon, O., see Veronese, F.M. (40) 199
Scrawen, M.D., see Veronese, F.M. (40) 199
Senel, S., see Hoogstraate, A.J. (40) 211
Shah, J., see Park, E.-S. (40) 111
Shah, J., see Park, E.-S. (40) 55
Shapiro, M., Jarema, M.A. and Granvina, S.
Erratum to ''Magnetic resonance imaging of an oral gastrointestinal-therapeutic-system (GITS) tablet'' [J. Control. Release 38 (1996) 123-127] (40) 329
Šírová, M., see Říhová, B. (40) 303
Šrogl, J., see Říhová, B. (40) 303
Staniforth, J.N., see Tobyn, M.J. (40) 147
Stockham, M.A., see Cummings, J.H. (40) 123
Strohalm, J., see Říhová, B. (40) 303
Šubr, V., see Říhová, B. (40) 303
Tabata, Y., see Nakaoka, R. (40) 11
Taverna, M., see Olivier, J.-C. (40) 157
Tobyn, M.J., Maher, J., Challinor, C.L. and Staniforth, J.N.
Investigations of the interactions between a novel polysaccharide controlled release matrix and model compounds using ESR (40) 147
Trantolo, D.J., see Hsu, Y.-Y. (40) 293
Turek, J.J., see Woodyard, L.L. (40) 23
Tyler, B.M., see Utsuki, T. (40) 251
Ulbrich, K., see Říhová, B. (40) 303
Utsuki, T., Brem, H., Pitha, J., Loftsson, T., Kristmundsdottir, T., Tyler, B.M. and Olivi, A.
Potentiation of anticancer effects of microencapsulated carboplatin by hydroxypropyl α-cyclodextrin (40) 251

Vauthier, C., see Olivier, J.-C. (40) 157
Verhoef, J., see Hoogstraate, A.J. (40) 211
Veronese, F.M., Monfardini, C., Caliceti, P., Schiavon, O., Scrawen, M.D. and Beer, D.
Improvement of pharmacokinetic, immunological and stability properties of asparaginase by conjugation to linear and branched monomethoxy poly(ethylene glycol) (40) 199
Vert, M., see Li, S. (40) 41
Wilkins, R.M., see Cotterill, J.V. (40) 133
Wise, D.L., see Hsu, Y.-Y. (40) 293
Woodyard, L.L., Bowersock, T.L., Turek, J.J., McCabe, G.P. and DeFord, J.
A comparison of the effects of several silver-treated intravenous catheters on the survival of staphylococci in suspension and their adhesion to the catheter surface (40) 23
Wraight, E.P., see Cummings, J.H. (40) 123
Wu, B.M., Borland, S.W., Giordano, R.A., Cima, L.G., Sachs, E.M. and Cima, M.J.
Solid free-form fabrication of drug delivery devices (40) 77

ELSEVIER

Journal of Controlled Release 40 (1996) 337–338

journal of controlled release

Subject Index Volume 40 (1996)

Acetaminophen sustained release, (40) 179
Acid hydrolysis, (40) 89
Acquired immunodeficiency syndrome (AIDS), (40) 67
Acrylic acid, (40) 223, (40) 235
Adhesion, (40) 23
Affinity therapy, (40) 303
N-Alkylacrylamide, (40) 235
Antibody-targeting, (40) 303
Anticancer activity, (40) 89
Anticancer drugs, (40) 303
Antigen release, (40) 11
Asparaginase, (40) 199
C-*erb*B2, (40) 101
Biodegradability, (40) 55
Biodegradable, (40) 111
Biodegradable granule, (40) 11
Biodegradation, (40) 31, (40) 285
Biomimetic nanoparticles, (40) 157
Buccal mucosa, (40) 211
Caffeine, (40) 41
Cancer, (40) 251
Cancer therapy, (40) 199
Capillary electrophoresis, (40) 157
Carboplatin, (40) 251
Carrageenan, (40) 179
Catheter, (40) 23
[^{13}C]Glucose, (40) 123
7-*N*-Chloroacetyltheophylline, (40) 1
Colchicine, (40) 89
Confocal laser scanning microscopy, (40) 211
Controlled activity polymers, (40) 223, (40) 235
Controlled release, (40) 133, (40) 169, (40) 293
Controlled release of fragrances, (40) 245
Crosslinker, (40) 261
Crystallization, (40) 41
Cyclosporin A, (40) 303
Degradable, (40) 261
Degradation, (40) 41, (40) 261
Degradation, in vitro, (40) 169
Degradation, in vivo, (40) 169
Dextran conjugate, (40) 1
Differential scanning calorimetry, (40) 277
Diffusion, (40) 133
Diuron, (40) 133
Double-walled microsphere, (40) 169
Doxorubicin, (40) 303
Drug delivery, (40) 55, (40) 77, (40) 111
Drug release, (40) 31
Electroporation, (40) 321
Enhancers, (40) 211
Enzyme modification, (40) 199
Erosion, (40) 111
ESR, (40) 147
Ethanol, (40) 67
FITC-dextrans, (40) 211
Fragrance, (40) 245
FTIR, (40) 223
Gel, (40) 261
Granulation, (40) 147
Human immunodeficiency virus (HIV), (40) 67
Humans, (40) 123
Hydrogel, (40) 261
Hydrogels, (40) 245
Hydrolysis, (40) 41
Hydrolytic release, (40) 235
Hydroxypropyl cyclodextrins, (40) 251
Immunological adjuvant, (40) 11
Immunosuppression, (40) 303
Implant, (40) 55
Implant infection, (40) 23
Injectable microcapsules, (40) 269
Injection site, (40) 11
Interstitial chemotherapy, (40) 251
Inulin, (40) 31
Iontophoresis, (40) 187, (40) 321
Isoniazid, (40) 293
LHRH, (40) 187
Lignin, (40) 133
Lipid bilayer pore, (40) 321
Liposome, (40) 101
Locust bean gum, (40) 147
Macromolecular drug conjugate, (40) 1
Macromolecule, (40) 31
Matrix, (40) 133
Matrix degradation, (40) 269
Membranes, (40) 277
Microcapsule, (40) 285
Microcapsule aggregate, (40) 285
Microcapsules, (40) 251
Monoclonal antibody, (40) 101
Monomethoxy poly(ethylene glycol), (40) 199
N-akylacrylamide, (40) 223

N-(2-hydroxypropyl)methacrylamide copolymers, (40) 303
NMR, (40) 223
Oleic acid, (40) 67
On/off ratio, (40) 187
Oral colon-specific delivery, (40) 123
Orosomucoid, (40) 157
mPEG, (40) 199
Pellets, (40) 179
Permeability, (40) 321
P(FAD-SA), (40) 111
Phosphatidylcholine, (40) 277
Phosphazene, (40) 261
PLGA, (40) 269
Polyacrylamide hydrogel, (40) 187
Polyanhydride, (40) 55, (40) 111
Polycaprolactone, (40) 77
Poly(DL-lactic acid), (40) 11, (40) 41
Poly-D,L-lactide, (40) 277
Poly(DL-lactide-co-glycolide), (40) 293
Poly(fatty acid dimer-sebacic acid), (40) 55
Polyisobutylcyanoacrylate, (40) 157
Polymer, (40) 31
Polymer foams, (40) 293
Polymeric carrier, (40) 303
Polymers, (40) 77
Polypeptide, (40) 285
Polyphosphazene, (40) 31
Polysaccharide matrix, (40) 147
Pore formation, (40) 111
Prodrug, (40) 89
Release test, (40) 269
Resistant starch, (40) 123
γ-Scintigraphy, (40) 123
Sebacic acid, (40) 111
Serum, (40) 157
Silver, (40) 23
Simultaneous transdermal delivery, (40) 67
Solid free-form fabrication, (40) 77
Solvent evaporation, (40) 169
Spheres, (40) 179
Staphylococci, (40) 23
Stereocomplex, (40) 41
Surface erosion, (40) 55, (40) 111
Sustained release, (40) 89, (40) 251, (40) 285
Targetable drugs, (40) 303
Theophylline, (40) 1
Thermodynamic analysis, (40) 245
Three-dimensional printing, (40) 77
Tolmetin, (40) 277
Transdermal drug delivery, (40) 321
Transferrin receptor, (40) 101
Tuberculosis chemotherapy, (40) 293
UV–vis. spectroscopy, (40) 223
Vesicle, (40) 101
Water uptake, (40) 55
Waveform, (40) 187
Weight loss, (40) 111
Xanthan gum, (40) 147